

ARTICLE SIX

SIGNS

6.00.00	GENERAL PROVISIONS.....	3
6.00.01	Relationship To Building And Electrical Codes	3
6.00.02	No Defense To Nuisance Action.....	3
6.00.03	Maintenance	3
6.00.04	Definitions.....	3
6.01.00	EXEMPT SIGNS	7
6.02.00	PROHIBITED SIGNS.....	8
6.02.01	Generally.....	8
6.02.02	Specifically	8
6.03.00	PERMITTED TEMPORARY SIGNS	11
6.03.01	Where Allowed	11
6.03.02	Sign Types Allowed.....	11
6.03.03	Removal Of Illegal Temporary Signs.....	11
6.03.04	Restrictions On Content Of Temporary Signs.....	11
6.03.05	Permissible Size, Height And Number Of Temporary Signs.....	12
6.04.00	PERMITTED PERMANENT ACCESSORY SIGNS	12
6.04.01	Sign Types Allowed.....	12
6.04.02	Content.....	13
6.04.03	Permissible Number, Area, Spacing And Height Of Permanent Accessory Signs.....	13
6.04.04	Time-Temperature-Date Signs	16
6.04.05	Directional Signs	16
6.04.06	Signs At Entrances To Residential Developments, Farms and Ranches.....	16
6.04.07	Flags	17
6.04.08	Utility Signs.....	18
6.05.00	PERMITTED PERMANENT OUTDOOR ADVERTISING SIGNS.....	18
6.05.01	Where Allowed	18
6.05.02	Content.....	18
6.05.03	Permissible Number, Area, Spacing And Height Of Permanent Outdoor Advertising Signs	19
6.05.04	Nonconforming Permanent Outdoor Advertising Signs	19
6.06.00	MEASUREMENT DETERMINATIONS	20
6.06.01	Distance Between Sign.....	20
6.06.02	Facade Area	20
6.06.03	Sign Area.....	21
6.06.04	Number of Signs.....	24
6.06.05	Sign Height	26
6.07.00	DESIGN, CONSTRUCTION, AND LOCATION STANDARDS.....	26
6.07.01	Generally.....	27

6.07.02	Compliance With Building And Electrical Codes Required.....	27
6.07.03	Illumination Standards.....	27
6.07.04	Placement Standards	27
6.07.05	Clearance Standards.....	27
6.07.06	Relationship To Building Features.....	28
6.07.07	Maximum Projection	28
6.07.08	Maximum Window Coverage	29
6.07.09	Format For Multiple Occupancy Complexes	29
6.07.10	Signs Required To Be Certified By A Registered Engineer.....	29

ARTICLE SIX

SIGNS

6.00.00 *GENERAL PROVISIONS*

6.00.01 Relationship To Building And Electrical Codes

These sign regulations are intended to complement the requirements of the building and electrical codes adopted by the County. Wherever there is inconsistency between these regulations and the building or electrical code, the more stringent requirement shall apply.

6.00.02 No Defense To Nuisance Action

Compliance with the requirements of these regulations shall not constitute a defense to an action brought to abate a nuisance under the common law.

6.00.03 Maintenance

All signs, including their supports, braces, guys and anchors, electrical parts and lighting fixtures, and all painted and display areas, shall be maintained in accordance with the building and electrical codes adopted by the County, and shall present a neat and clean appearance. The vegetation around, in front of, behind, and underneath the base of ground signs for a distance of ten (10) feet shall be neatly trimmed and free of unsightly weeds, and no rubbish or debris that would constitute a fire or health hazard shall be permitted under or near the sign.

6.00.04 Definitions

- A. *Accessory Sign.*** A permanent ground or building sign that is permitted under this Code as incidental to an existing or proposed use of land.
- B. *Advertising.*** Sign copy intended to directly or indirectly promote the sale or use of a product, service, commodity, entertainment, or real or personal property.
- C. *Building Sign.*** A sign displayed upon or attached to any part of the exterior of a building, including walls, windows, doors, parapets, marquees and roof slopes of forty-five (45) degrees or steeper. See Figure 6.00.04-A.




FIGURE 6.00.04-A EXAMPLES OF BUILDING SIGNS

- D. Commercially Developed Parcel.** A parcel of property on which there is at least one walled and roofed structure used, or designed to be used, for other than a residential or agricultural purposes.
- E. Copy.** The linguistic or graphic content of a sign.
- F. Electric Sign.** Any sign containing electric wiring.
- G. Erect a Sign.** To construct, reconstruct, build, relocate, raise, assemble, place, affix, attach, create, paint, draw, or in any other way bring into being or establish; but it shall not include any of the foregoing activities when performed as an incident to the change of message, or routine maintenance.
- H. Frontage.** The length of the property line of any one parcel along a street on which it

borders.

I. Ground Sign.

A sign that is supported by one or more columns, upright poles, or braces extended from the ground or from an object on the ground, or that is erected on the ground, where no part of the sign is attached to any part of a building. See Figure 6,00.04-B.




FIGURE 6.00.04-B GROUND SIGNS

J. Harmful to Minors. With regard to sign content, any description or representation, in whatever form, of nudity, sexual conduct, or sexual excitement, when it:

1. predominately appeals to the prurient, shameful, or morbid interest of minors in sex, and
2. is patently offensive to contemporary standards in the adult community as a whole with respect to what is suitable sexual material for minors, and
3. taken as a whole, lacks serious literary, artistic, political, or scientific value.

The term "harmful to minors" shall also include any non-erotic word or picture when it:

1. is patently offensive to contemporary standards in the adult community as a whole with respect to what is suitable for viewing by minors, and

2. taken as a whole, lacks serious literary, artistic, political, or scientific value.
- K. *Illuminated Sign.*** A sign which contains a source of light or which is designed or arranged to reflect light from an artificial source including indirect lighting, neon, incandescent lights, back-lighting, and shall also include signs with reflectors that depend upon automobile headlights for an image.
- L. *Marquee.*** A structure projecting from and supported by a building which extends beyond the building line or property line and fully or partially covers a sidewalk, public entrance or other pedestrian way.
- M. *Multiple Occupancy Complex.*** A commercial use, i.e. any use other than residential or agricultural, consisting of a parcel of property, or parcel of contiguous properties, existing as a unified or coordinated project, with a building or buildings housing more than one occupant.
- N. *Occupant (Occupancy).*** A commercial use, i.e. any use other than residential or agricultural.
- O. *Outdoor Advertising Sign.*** A permanent ground sign supported by a single metallic pole attached to which is a sign face the bottom of which is at least 20 feet above the ground and which is at least 200 square feet in size.
- P. *Parcel.*** A unit of land within legally established property lines. If, however, the property lines are such as to defeat the purposes of this Code or lead to absurd results, a "parcel" may be as designated for a particular site by the Development Administrator.
- Q. *Permanent.*** Designed, constructed and intended for more than short term use.
- R. *Portable Sign.*** Any sign which is manifestly designed to be transported by trailer or on its own wheels, including such signs even though the wheels may be removed and the remaining chassis or support structure converted to an A or T frame sign and attached temporarily or permanently to the ground.
- S. *Roof Line.*** A horizontal line intersecting the highest point or points of a roof.
- T. *Roof Sign.*** A sign placed above the roof line of a building or on or against a roof slope of less than forty-five (45) degrees.
- U. *Sign.*** Any writing, pictorial presentation, number, illustration, or decoration, flag, banner or pennant, or other device which is used to announce, direct attention to, identify, advertise or otherwise make anything known. The term sign shall not be deemed to include the terms "building" or "landscaping," or any architectural embellishment of a building not intended to communicate information.

- V. **Sign Face.** The part of a sign that is or may be used for copy.
- W. **Sign Face Area.** The area of any regular geometric shape which contains the entire surface area of a sign upon which copy may be placed.
- X. **Sign Structure.** Any construction used or designed to support a sign.
- Y. **Street.** A public or private right of way for vehicular traffic, including highways, thoroughfares, lanes, roads, ways, and boulevards.
- Z. **Temporary.** Designed, constructed, and intended to be used on a short-term basis.
- AA. **Unit.** That part of a multiple occupancy complex housing one occupant.
- BB. **Vehicle Sign.** Any sign affixed to a vehicle.

6.01.00 EXEMPT SIGNS

The following signs are exempt from the operation of these sign regulations, and from the requirement in this Code that a permit be obtained for the erection of permanent signs, provided they are not placed or constructed so as to create a hazard of any kind:

- A. Signs that are not designed or located so as to be visible from any street or adjoining property.
- B. Signs of two (2) square feet or less and signs that include no letters, symbols, logos or designs in excess of two (2) inches in vertical or horizontal dimension, provided that such sign, or combination of such signs, does not constitute a sign prohibited by SECTION 6.02.02 of this Code.
- C. Signs necessary to promote health, safety and welfare, and other regulatory, statutory, traffic control or directional signs erected on public property with permission as appropriate from the State of Florida, the United States, or Jefferson County.
- D. Legal notices and official instruments.
- E. Decorative flags and bunting for a celebration, convention, or commemoration of significance to the entire community when authorized by the Board of County Commissioners for a prescribed period of time.
- F. Holiday lights and decorations.

- G.** Merchandise displays behind storefront windows so long as no part of the display moves or contains flashing lights.
- H.** Memorial signs or tablets, historic plaques, names of buildings and dates of erection when cut into any masonry surface or attached to the surface of a building.
- I.** Signs incorporated into machinery or equipment by a manufacturer or distributor, which identify or advertise only the product or service dispensed by the machine or equipment, such as signs customarily affixed to vending machines, newspaper racks, telephone booths, and gasoline pumps.
- J.** Advertising and identifying signs located on taxicabs, buses, trailers, trucks, or vehicle bumpers.
- K.** Public warning signs to indicate the dangers of trespassing, swimming, animals or similar hazards.
- L.** Works of art that do not constitute advertising.
- M.** Signs carried by a person.
- N.** Religious displays.

6.02.00 *PROHIBITED SIGNS*

6.02.01 Generally

It shall be unlawful to erect, cause to be erected, maintain or cause to be maintained, any sign not expressly authorized by, or exempted from, this Code.

6.02.02 Specifically

The following signs are expressly prohibited unless exempted by Section 6.01.00 of this Code or expressly authorized by Section 6.03.00, Section 6.04.00, or Section 6.05.00 of this Code:

- A.** Signs that are in violation of the building code or electrical code adopted by the county.
- B.** Any sign that, in the opinion of the Building Official, does or will constitute a safety hazard.
- C.** Blank temporary signs.
- D.** Signs with visible moving, revolving, or rotating parts or visible mechanical movement

of any description or other apparent visible movement achieved by electrical, electronic, or mechanical means, except for traditional barber poles.

- E. Signs with the optical illusion of movement by means of a design that presents a pattern capable of giving the illusion of motion or changing of copy.
- F. Signs with lights or illuminations that flash, move, rotate, scintillate, blink, flicker, or vary in intensity or color except for time-temperature-date signs.
- G. Strings of light bulbs used on commercially developed parcels for commercial purposes, other than traditional holiday decorations.
- H. Signs, commonly referred to as wind signs, consisting of one or more banners, flags, pennants, ribbons, spinners, streamers or captive balloons, or other objects or material fastened in such a manner as to move upon being subjected to pressure by wind. See Figure 6.02.02-A.




FIGURE 6.02.02-A WIND SIGNS

- I. Signs that incorporate projected images, emit any sound that is intended to attract attention, or involve the use of live animals.
- J. Signs that emit audible sound, odor, or visible matter such as smoke or steam.
- K. Signs or sign structures that interfere in any way with free use of any fire escape, emergency exit, or standpipe, or that obstruct any window to such an extent that light or ventilation is reduced to a point below that required by any provision of this Code or other ordinance of the county.
- L. Signs that resemble any official sign or marker erected by any governmental agency, or that by reason of position, shape or color, would conflict with the proper functioning of any traffic sign or signal, or be of a size, location, movement, content, color, or illumination that may be reasonably confused with or construed as, or conceal, a traffic-control device.

- M.** Signs that obstruct the vision of pedestrians, cyclists, or motorists traveling on or entering public streets.
- N.** Non-governmental signs that use the words "stop," "look," "danger", or any similar word, phrase, or symbol.
- O.** Signs, within ten (10) feet of public right of way or one hundred (100) feet of traffic-control lights, that contain red or green lights that might be confused with traffic control lights.
- P.** Signs that are of such intensity or brilliance as to cause glare or impair the vision of any motorist, cyclist, or pedestrian using or entering a public way, or that are a hazard or a nuisance to occupants of any property because of glare or other characteristics.
- Q.** Signs that contain any lighting or control mechanism that causes unreasonable interference with radio, television or other communication signals.
- R.** Searchlights used to advertise or promote a business or to attract customers to a property.
- S.** Signs that are painted, pasted, or printed on any curbstone, flagstone, pavement, or any portion of any sidewalk or street, except house numbers and traffic control signs.
- T.** Signs placed upon benches, bus shelters or waste receptacles, except as may be authorized in writing pursuant to §337.407, Florida Statutes.
- U.** Signs erected on public property, or on private property (such as private utility poles) located on public property, other than signs erected by public authority for public purposes [and signs authorized in writing pursuant to §337.407, Florida Statutes.]
- V.** Signs erected over or across any public street except as may otherwise be expressly authorized by this Code, and except governmental signs erected by or on the order of a public officer.
- W.** Vehicle signs with a total sign area on any vehicle in excess of ten (10) square feet, when the vehicle:
 - 1. is parked for more than sixty consecutive minutes within one hundred (100) feet of any street right of way;
 - 2. is visible from the street right of way that the vehicle is within one hundred (100) feet of; and
 - 3. is not regularly used in the conduct of the business advertised on the vehicle. A vehicle used primarily for advertising, or for the purpose of providing transportation for owners or employees of the occupancy advertised on the vehicle, shall not be

considered a vehicle used in the conduct of the business.

X. Signs displaying copy that is harmful to minors as defined by this Code.

Y. Portable signs as defined by this Code.

6.03.00 *PERMITTED TEMPORARY SIGNS*

6.03.01 Where Allowed

Temporary signs are allowed throughout the county, subject to the restrictions imposed by this section and other relevant parts of this Code.

6.03.02 Sign Types Allowed

A temporary sign may be a ground or building sign, but may not be an electric sign.

6.03.03 Removal Of Illegal Temporary Signs

Any temporary sign not complying with the requirements of this section is illegal and subject to immediate removal.

6.03.04 Restrictions On Content Of Temporary Signs

A temporary sign may display any message so long as it is not:

- A.** Harmful to minors as defined by this Code.
- B.** Advertising as defined by this Code, except that advertising for the following purposes may be displayed:
 - 1. To indicate that an owner, either personally or through an agent, is actively attempting to sell, rent or lease the property on which the sign is located.
 - 2. To indicate the grand opening of a business or other activity. Such message may be displayed for a period not exceeding fourteen (14) days within the first three (3) months that the occupancy is open for business.
 - 3. To identify construction in progress. Such message shall not be displayed more than sixty (60) days prior to the beginning of actual construction of the project, and shall be removed when construction is completed. If a message is displayed pursuant to this section, but construction is not initiated within sixty (60) days after

the message is displayed, or if construction is discontinued for a period of more than sixty (60) days, the message shall be removed, pending initiation or continuation of construction activities.

4. To indicate the existence of a new business, or a business in a new location, if such business has no permanent signs. Such message may be displayed for a period of not more than sixty (60) days or until installation of permanent signs, whichever shall occur first.
5. To announce or advertise such temporary uses as fairs, carnivals, circuses, revivals, sporting events, flea markets, or any public, charitable, educational or religious event or function. Such message shall be removed within five (5) days after the special event.

6.03.05 Permissible Size, Height And Number Of Temporary Signs

- A. **One-Family and Two-Family Residences.** A parcel on which is located a single one-family or two-family residence may display not more than two temporary signs with an aggregate sign area of not more than ten (10) square feet. No individual sign shall exceed six (6) square feet nor exceed eight (8) feet in height.
- B. ***Three-Family and Four-Family Residences.*** A parcel on which is located a single three-family or four-family residence may display not more than four (4) temporary signs with an aggregate sign area of not more than ten (16) square feet. No individual sign shall exceed six (6) square feet nor exceed eight (8) feet in height.
- C. ***On All Other Parcels.*** All other parcels may display one (1) square foot of temporary signage per ten (10) feet of frontage up to a maximum of one hundred (100) square feet. No individual sign shall exceed sixty (60) square feet nor exceed ten (10) feet in height. Signs must be spaced at least one hundred (100) feet apart.

6.04.00 PERMITTED PERMANENT ACCESSORY SIGNS

6.04.01 Sign Types Allowed

A permanent accessory sign may be a ground or building sign. A permanent accessory sign may not be a roof sign.

6.04.02 Content

A permanent accessory sign may display any message so long as it is not harmful to minors as defined by this Code.

6.04.03 Permissible Number, Area, Spacing And Height Of Permanent Accessory Signs

- A. ***Ground Signs.*** The permissible number, area, spacing and height of permanent accessory ground signs for each multiple occupancy complex and each occupant not located in a multiple occupancy complex shall be determined according to the following tables and text:

1. If located on a thoroughfare with a speed limit of forty-five (45) miles per hour or less:

Frontage on a public right of way in feet	Number of signs allowed	Total sign area allowed/ Maximum sign area for individual sign in square feet	Minimum distance from any side property line/other permanent ground sign on the same site in feet	Maximum height in feet
Less than 50	1	24/24	10/NA	18
At least 50 but less than 100	1	32/32	15/NA	18
At least 100 but less than 200	1	48/48	20/NA	18
At least 200 but less than 300	1	64/64	50/NA	18
At least 300 but less than 400	2	72/72	50/100	18
400 or more	2	96/96	50/100	18

2. If located on a thoroughfare with a speed limit greater than forty-five (45) miles per hour:

Frontage on a public right of way in feet	Number of signs allowed	Total sign area allowed/ Maximum sign area for individual sign in square feet	Minimum distance from any side property line/other permanent ground sign on the same site in feet	Maximum height in feet
Less than 50	1	24/24	10/NA	18
At least 50 but less than 100	1	48/48	15/NA	18
At least 100 feet but less than 200	1	64/64	20/NA	18
At least 200 but less than 300	1	96/96	50/NA	18
At least 300 but less than 400	2	128/96	50/100	18
400 or more	2	192/96	50/100	18

B. Building Signs.

1. Subject to the design criteria in Section 6.07.00 of this Article, the maximum height of a building sign shall be eighteen (18) feet, except that on a building of more than two stories, a single building sign is allowed above eighteen (18) feet on each side of the building.
2. Each multiple occupancy complex may display one (1) permanent accessory building sign on each side of the principal building or buildings in which the complex is located, not to exceed a sign area of up to ten (10) percent of the facade area (see Section 6.06.00, Measurement Determinations) of each building side or two hundred (200) square feet, whichever is smaller.
3. Each occupant of a multiple occupancy complex may display three (3) permanent accessory building signs on any exterior portion of the complex that is part of the occupant's unit (not including a common or jointly owned area), not to exceed a total

combined sign area of fifteen (15) percent of the facade area (see SECTION 6.06.00, Measurement Determinations) of such exterior portion or two hundred (200) square feet, whichever is smaller.

4. Each occupant not located in a multiple occupancy complex may display three (3) permanent accessory building signs on each side of the principal building in which the occupancy is located, not to exceed a total combined sign area for each building side of twenty (20) percent of the facade area (See Section 6.06.00, Measurement Determinations) of the building side or two hundred (200) square feet, whichever is smaller.

C. Multiple Frontages. If a building has frontage on two (2) or more streets, each frontage shall be separately considered for the purposes of determining compliance with the provisions of these regulations, but the permitted sign area for one (1) frontage may not be combined with that permitted on another frontage to increase the permitted sign area on one frontage. However, no ground sign on one right of way may be closer than one hundred (100) feet to a sign on another right of way, measured as the sum of distances measured continuously along the rights of way through a common point or points.

6.04.04 Time-Temperature-Date Signs

Time-temperature-date signs are permitted as a permanent accessory sign on commercially developed parcels notwithstanding the general prohibition on changing signs. These signs may only display numerical information in an easily comprehensible way and shall be kept accurate. They may be ground or building signs, and are subject to the regulations applicable to such signs. They shall be counted as part of an occupancy's allowable sign area.

6.04.05 Directional Signs

Directional signs limited in area to four (4) square feet, giving directions to motorists regarding the location of parking areas and access drives shall be permitted as permanent accessory signs on all parcels and shall not be counted as part of an occupancy's allowable sign area.

6.04.06 Signs At Entrances To Residential Developments, Farms and Ranches

A. Generally. A permanent accessory sign may be displayed at the entrance to residential developments, farms and ranches.

B. Restrictions.

1. One (1) sign is permitted at only one (1) entrance into the development, farm or ranch from each abutting street. The sign may be a single sign with two (2) faces of equal size or may be two (2) single-faced structures of equal size located on each side of the entrance. No face of the sign shall exceed thirty-two (32) square feet in size, and may be illuminated in a steady light only.
2. When considering the placement of such signs, the Planning Office shall consider the location of public utilities, sidewalks and future street widenings.
3. The Planning Office shall ensure that such signs shall be maintained perpetually by the developer, the owner of the sign, a pertinent owners' association, or some other person who is legally accountable under a maintenance arrangement approved by the Board. If no accountable person accepts legal responsibility to maintain the signs and no other provision has been made for the maintenance of them, the signs shall be removed by the developer or owner.

6.04.07 Flags

- A.** **Number.** Not more than three flags or insignias of governmental, religious, charitable, fraternal or other organizations may be displayed on any one parcel of land.
- B.** **Size.** The maximum distance from top to bottom of any flag shall be twenty (20) percent of the total height of the flag pole, or in the absence of a flag pole, twenty (20) percent of the distance from the top of the flag or insignia to the ground. See Figure 6.04.07-A.




FIGURE 6.04.07-A FLAG SIZE

6.04.08 Utility Signs

Public utility signs that identify the location of underground utility lines and facilities, high voltage lines and facilities, and other utility facilities and appurtenances are permitted so long as they do not exceed three (3) feet in height, and so long as the sign face does not exceed one half (1/2) square foot.

6.05.00 PERMITTED PERMANENT OUTDOOR ADVERTISING SIGNS

6.05.01 Where Allowed

Permanent outdoor advertising signs are allowed in all use districts:

6.05.02 Content

Outdoor advertising signs may display any message so long as it is not harmful to minors as defined by this Code.

6.05.03 Permissible Number, Area, Spacing And Height Of Permanent Outdoor Advertising Signs

- A. *Maximum Size.*** No permanent outdoor advertising sign may exceed three hundred and ten (310) square feet in size. One exception to this is for signs within the the interchange/Business area and along Interstate-10. In these areas the County will defer to the size restrictions of the Florida Department of Transportation.
- B. *Maximum Height.*** No permanent outdoor advertising sign, or combination of signs, may exceed thirty (30) feet in height. The only exception to this is for signs within the Interchange/Business areas and along Interstate-10. In these areas the County will defer to the height restrictions of the Florida Department of Transportation.
- C. *Maximum Width.*** No permanent outdoor advertising sign, or combination of signs, may exceed twenty-four (24) feet in width. The only exception to this is for signs within the Interchange/Business area and along Interstate-10. In these areas the County will defer to the width restrictions of the Florida Department of Transportation.
- D. *Spacing.*** No permanent outdoor advertising sign may be closer than fifty (50) feet from any property line, nor closer than one thousand five hundred (1500) feet from any other permanent outdoor advertising sign on either side of the thoroughfare or thoroughfares to which the permanent advertising sign is directed. Spacing shall be determined based on signs that have received the necessary county permit pursuant to this Code, and signs having received prior authorization shall have priority over a later applicant in determining compliance with the spacing restrictions. Where two applications from different persons conflict with each other, so that only one of the applications may be granted, the first application received by the Planning Office will be the first considered for approval. The second application shall remain pending until resolution of the first application. The second applicant shall be advised in writing of the first application and that his application will remain pending until the first application is acted upon. If the first application considered is granted, the second application shall be denied. If the first application is denied, the second application shall then be considered for approval.

6.05.04 Nonconforming Permanent Outdoor Advertising Signs

Nonconforming outdoor advertising signs are subject to Article VII of this Code, except that if the only reason for the nonconformity is a failure to meet the spacing requirement between signs, the sign or signs may remain subject only to the prohibitions listed at Section 7.01.02(B)(3). If because of the removal of other signs, a sign comes into compliance with the spacing requirements, the owner of that sign may apply for a permit to maintain the sign as a conforming sign.

6.06.00 MEASUREMENT DETERMINATIONS

6.06.01 Distance Between Sign

The minimum required distance between signs shall be measured along street rights of way from the closest parts of any two signs. See Figure 6.06.01-A.




FIGURE 6.06.01-A MEASURING DISTANCE ALONG STREET RIGHT-OF-WAY

6.06.02 Facade Area

The facade area shall be measured by determining the area within a two-dimensional geometric figure coinciding with the edges of the walls, windows, doors, parapets, marquees, and roof slopes of greater than forty-five (45) degrees that form a side of a building or unit. See FIGURE 6.06.02-A.




FIGURE 6.06.02-A FACADE AREA EXAMPLES

6.06.03 Sign Area

- A. **Generally.** The area of a sign shall be the area within the smallest square, rectangle, parallelogram, triangle, circle or semicircle, the sides of which touch the extreme points or edges of the sign face.
- B. **Special Situations.**

1. Where a sign is composed of letters or pictures attached directly to a facade, window, door, or marquee, and the letters or pictures are not enclosed by a border or trimming, the sign area shall be the area within the smallest rectangle, parallelogram, triangle, circle or semicircle, the sides of which touch the extreme points of the letters or pictures. See Figure 6.06.03-A.
2. Where two sign faces are placed back to back on a single sign structure, and the faces are at no point more than four (3) feet apart, the area of the sign shall be counted as the area of one (1) of the faces.




FIGURE 6.06.03-A AREA OF SIGN WITH LETTERS OR PICTURES ATTACHED DIRECTLY TO A WALL, WINDOW, DOOR, ETC. (WITHOUT A BORDER)

3. Where four sign faces are arranged in a square, rectangle, or diamond, the area of the sign shall be the area of the two largest faces. See Figure 6.06.03-B.





FIGURE 8.06.03-B SIGN AREA OF SIGN WITH FOUR FACES

4. Where a sign is in the form of a three-dimensional object, the area shall be determined by drawing a square, rectangle, parallelogram, triangle, or semicircle, the sides of which touch the extreme points or edges of the projected image of the sign and multiplying that area by two (2). The "projected image" is that image circle created by tracing the largest possible two dimensional outline of the sign. See Figure 6.06.03-C.



6.06.04 Number of Signs

- A. **Generally.** In general, the number of signs shall be the number of non-contiguous sign faces. Multiple non-contiguous sign faces may be counted as a single sign if all the sign faces are included in the geometric figure used for determining the sign area. See Figure 6.06.04-A.




Figure 6.06.04-A

B. *Special Situations.*

1. Where two sign faces are placed back to back and are at no point more than three (3) feet apart, it shall be counted as one sign.
2. If a sign has four faces arranged in a square, rectangle or diamond, it shall be counted as two signs. See Figure 6.06.04-B.




FIGURE 6.06.04-B NUMBER OF SIGNS WHERE SIGN HAS FOUR FACES

6.06.05 Sign Height

The height of a sign shall be measured as the vertical distance from the finished grade at the base of the supporting structure to the top of the sign, or its frame or supporting structure, whichever is higher. See Figure 6.06.05-A.




FIGURE 6.06.05-A SIGN HEIGHT

6.07.00 DESIGN, CONSTRUCTION, AND LOCATION STANDARDS

6.07.01 Generally

All permanent signs must comply with the following design, construction and location standards.

6.07.02 Compliance With Building And Electrical Codes Required

All permanent signs, and the illumination thereof, shall be designed, constructed and maintained in conformity with applicable provisions of the building and electrical codes adopted by the county.

6.07.03 Illumination Standards

- A. Sign lighting may not be designed or located to cause confusion with traffic lights.
- B. Illumination by floodlights or spotlights is permissible so long as none of the light emitted shines directly onto an adjoining property or into the eyes of motorists or pedestrians using or entering public streets.
- C. Illuminated signs shall not have lighting mechanisms that project more than eighteen (18) inches perpendicularly from any surface of the sign over public space.

6.07.04 Placement Standards

- A. ***Near Street And Driveway Intersections.*** Signs located within a clear visibility triangle shall conform to the requirements at Section 6.02.04 H of this Code.
- B. ***In Right Of Way.*** Supports for signs or sign structures shall not be placed in or upon a public right of way or public easement, except under the terms of a lease between the owner of the easement or right of way and the owner of the sign.
- C. ***Over Right Of Way.*** No ground sign shall project over a public right of way.
- D. ***Blocking Exits, Fire Escapes, Etc.*** No sign or sign structure shall be erected that impedes use of any fire escape, emergency exit, or standpipe.

6.07.05 Clearance Standards

- A. ***Over Pedestrian Ways.*** All signs over pedestrian ways shall provide a minimum of seven (7) feet six (6) inches of clearance.
- B. ***Over Vehicular Ways.*** All signs over vehicular ways shall provide a minimum of thirteen (13) feet six (6) inches of clearance.

6.07.06 Relationship To Building Features

A building sign shall not extend beyond any edge of the surface to which it is attached, nor disrupt a major architectural feature of the building. See Figure 6.07.06-A and Figure 6.07.06-B.




Figure 6.07.07-A




Figure 6.07.07-B

6.07.07 Maximum Projection

A building sign may project no more than four (4) feet perpendicularly from the surface to which

it is attached.

6.07.08 Maximum Window Coverage

The combined area of permanent and temporary signs placed on or behind windows shall not exceed twenty-five (25) percent of the total window area at the same floor level on the side of the building or unit upon which the signs are displayed.

6.07.09 Format For Multiple Occupancy Complexes

Building signs for multiple occupancy complexes constructed or remodeled after the effective date of this Code shall conform to an approved sign format. The sign format shall be included as a submittal for authorization to erect such a sign and shall be maintained on file in the Land Development Office. The format shall be presented in a plan or sketch, together with written specifications in sufficient detail to enable the Building Official to authorize signs based on the specifications. As a minimum, the sign format shall specify the types of signs and dimensions (not to exceed the size limits contained in this Article) which will be permitted each occupant within the complex. The sign format shall also contain common design elements, such as placement, color, shape, or style of lettering, which lend a unified appearance to the signs of the occupants within the complex. The sign format may only be modified with the approval of the Building Official upon submission of a revised plan and specifications detailing the revised format.

6.07.10 Signs Required To Be Certified By A Registered Engineer

The following signs shall be designed and certified by a Florida registered engineer:

- A.** Building signs that project perpendicularly from the surface to which it is attached and that are more than twenty-four square feet in area.
- B.** Ground signs of more than ten feet in height and one hundred square feet in area.